




PIATTAFORMA AUTOSOLLEVANTE MONOCOLONNA ELSA P40/13
SINGLE MAST CLIMBING WORK PLATFORM ELSA P40/13



PIATTAFORMA AUTOSOLLEVANTE BICOLONNA ELSA P40/34
TWIN MAST CLIMBING WORK PLATFORM ELSA P40/34



**PIATTAFORMA AUTOSOLLEVANTE MONOCOLONNA ELSA P40/13
SINGLE MAST CLIMBING WORK PLATFORM ELSA P40/13**




**PIATTAFORMA AUTOSOLLEVANTE BICOLONNA ELSA P40/34
TWIN MAST CLIMBING WORK PLATFORM ELSA P40/34**



Dati tecnici	Technical Data	Données Techniques	Datos Tecnicos	ELSA P40/13	ELSA P40/34
Massima capacità di carico	Max. capacity	Max charge	Max capacidad de carga	1800 kg	4000 kg
Velocità di sollevamento	Lifting speed	Vitesse de lévage	Velocidad de elevación	10,6 m/min	10,6 m/min
Max lunghezza piattaforma	Max platform length	Max longueur plate-forme	Longitud max plataforma	13,19 m	33,90 m
Larghezza piattaforma	Platform width	Largeur plate-forme	Ancho plataforma	1 m	1 m
Lunghezza Standard estensioni telesc.	Standard telesc. extension	Long. standard des extensions	Longitud standard extensiones	1 m	1 m
Max. Lunghezza estensioni telesc.	Max extension length	Max longueur extensions	Longitud max extensiones	2,5 m* max	2,5 m* max
Massima altezza ancorata	Max anchored height	Hauter max avec ancrages	Altura max con anclajes	220 m	220 m
Massima altezza libera	Max freestanding height	Hauteur max sans ancrages	Altura max autoestable	6 m	6 m
Intervallo ancoraggi	Max tie distance	Intervalle ancrages	Distancia entre anclajes	9 m	9 m
Tensione alimentazione	Input power range	Tension d'alimentation	Tensión de red	380/415 V 50/60 Hz	380/415 V 50/60 Hz
Potenza servizio continuo	Power of the motors	Puissance des moteurs	Potencia de motorreductores	2 x 3 kW	4 x 3 kW
Minima potenza di linea consigliata	Minimum line power suggested	Min. puissance de ligne conseillée	Min. potencia de linea	10 kW	15 kW
Dispositivo paracadute	Parachute safety device	Dispositif de sécurité parachute	Dispositivo de seguridad paracaídas	✓	✓
Ingrassatore automatico cremagliera	Rack automatic greasing pump	Graisseur automatique de cremallere	Engrassador automatico de cremallera	✓	✓








* Contattare Electroelsa

* Contact Electroelsa



CARICHI MASSIMI ELSA P40/13
MAX LOADS ELSA P40/13

 = 240 kg
 = 400 kg



CARICHI MASSIMI ELSA P40/34
MAX LOADS ELSA P40/34